

Filling & Capping

ATSDivision



AVVITATORE AV2_GAP®

Avvitatore da banco

Avvitatore automatico da banco modello AV2_GAP® in grado di avvitare con grande risolutezza tappi di vario genere e forma con diametro da Ø17mm a Ø50mm.

La struttura, costruita interamente in Acciaio INOX, è progettata per rendere il più veloce possibile il cambio formato.



ATSGroup
PACKAGING MACHINERY




Dati tecnici

Alimentazione elettrica	220V 50Hz
Potenza installata	1 kW
Pressione pneumatica	6 bar
Peso	+/-1500 kg
Dimensione tappi macchinabili Standard	Ø
	Min 17 mm
	Max 50 mm

AVVITATORE AV2_GAP®

Avvitatore da banco



Filling & Capping
ATSDivision



AV2_GAP® SCREWDRIVER

Bench screwdriver

Automatic bench screwdriver model AV2_GAP® able to screw with great resolution caps of various kinds and shapes with diameters from ø17mm to ø50mm.

The structure, made entirely of stainless steel, is designed to make format change as fast as possible.



ATSGroup
PACKAGING MACHINERY



Dati tecnici

Power supply 220V 50Hz

Power absorption 1 kW

Pneumatic pressure 6 bar

Weight +/-1500 kg

Size of machinable caps

Ø

Min 17 mm

Max 50 mm

AV2_GAP® SCREWDRIVER

Bench screwdriver

