



OCTAGON

Monoblocco Ottagonale di riempimento e tappatura


Octagon è un monoblocco riempimento e tappatura ottagonale unico nel suo genere per la sua spiccata versatilità e modularità. La macchina è progettata e realizzata per essere il più possibile modulare permettendo una gran facilità di cambio formato. Il sistema di dosaggio può essere con Flow Meter Massici o Magnetici, volumetrici a comando pneumatico o brushless, con possibilità di montare 3 torrette di tappatura con controllo tramite Brushless sia della corsa di alzata che della rotazione del mandrino di avvitamento. I controlli di qualità garantiscono un corretto orientamento e una corretta chiusura del tappo con eventuale scarto del prodotto non conforme in automatico senza fermo macchina. Octagon permette di dosare e chiudere la maggior parte dei flaconi esistenti.







Dati tecnici

Velocità meccanica	60/min				
Potenza installata	4.7 kW				
Consumo aria	100-150 lt/min, 6 bar				
Peso	+/-1000 kg				
Dimensione flaconi macchinabili Standard		A	B	Ø	H
	Min	10	10	10	35
	Max	105	105	105	250



OCTAGON

Monoblocco
Ottagonale
di riempimento
e tappatura



Filling & Capping
ATSDivision



OCTAGON

Monoblocco Ottagonale di riempimento e tappatura



ATSGroup
PACKAGING MACHINERY


Filling & Capping

ATSDivision



OCTAGON

Monoblocco Ottagonale di riempimento e tappatura



ATSGroup
PACKAGING MACHINERY



OCTAGON

Octagonal filling and capping monoblock

Octagon is a unique octagonal filling and capping monoblock of its kind for its marked versatility and modularity. The machine is designed and built to be as modular as possible, allowing for easy format changeover. The dosing system can be with Mass or Magnetic Flow Meter, pneumatic or brushless volumetric, with the possibility of mounting 3 capping turrets with Brushless control for the lift stroke and for the rotation of the screwing spindle. The quality controls guarantee a correct orientation and a correct closure of the cap with eventual rejection of the non-conforming product automatically without machine downtime.


Octagon can fill and cap the most kind of existing bottles.







Technical data

Mechanical speed	60/min				
Power absorbtion	4.7 kW				
Pneumatic air	100-150 lt/min, 6 bar				
Weight	+/-1000 kg				
Size of the machinable bottles		A	B	Ø	H
	Min	10	10	10	35
	Max	105	105	105	250



OCTAGON

Octagonal filling
and capping
monoblock



Filling & Capping
ATSDivision



OCTAGON

Octagonal filling and capping monoblock



ATSGroup
PACKAGING MACHINERY



Filling & Capping
ATSDivision



End Line
ATSDivision

Special Machines
ATSDivision

Robotic



ATSGroup
PACKAGING MACHINERY


Filling & Capping

ATSDivision



OCTAGON

Octagonal filling and capping monoblock



ATSGroup
PACKAGING MACHINERY